



MULTIFUNCTIONAL COLOUR DIGITAL SYSTEMS

d-Color

MF257

Add colour to your office easily and safely!



- COLOUR
- SPEED
- QUALITY
- COLOUR TOUCH-SCREEN
- ECO-FRIENDLY
- NETWORK
- SECURITY
- MOBILITY & CLOUD

The d-Color MF257 A3 multifunction colour printer, is ideal for small to medium-sized businesses. With its advanced technology and intelligent features it has been designed to improve productivity and reliability, while enabling companies to control costs.

Protection of personal data, as required by GDPR legislation, is assured with the d-Color MF257's many standard security features that prevent unauthorised access to, or theft of, vast quantities of data printed, copied or scanned on a daily basis. The Bitdefender® antivirus option automatically scans all data transmitted and received in real-time, so providing maximising protection from external threats.

The use of last-generation technologies reduces environmental impact, resulting in lower, more competitive power consumption levels and, therefore, significant reductions in running costs. Office tasks become simple and quick thanks to the intuitive, easy-to-use, 7" operator panel similar to that of a smartphone. This essential and modern user interface can be customised to allow fast access to frequently used features.

Job processing is faster, than previous models, as a result of notable reductions in data read/write operation times made possible by the 6 GB RAM and 256 GB SSD. The **Quad Core Cortex A72 CPU** guarantees high performance levels, throughout with its simultaneous processing of multiple operations.



7" CONTROL PANEL WITH TOUCH SCREEN, INTUITIVE EASY-TO-USE USER INTERFACE

ACTUAL PRINT RESOLUTION 1,800 (EQUIVALENT) X 600 DPI

PAPER FORMATS A6-A3 ; BANNER UP TO 1,200 X 297 MM

RAM MEMORY 6 GB, STANDARD

SSD MEMORY 256 GB

PAPER CAPACITY 1,100 SHEETS STANDARD; MAXIMUM UP TO 3,600 SHEETS

NEW BITDEFENDER® ANTIVIRUS PROVIDES REAL-TIME SCANNING OF INPUT/OUTPUT DATA (OPTIONAL)

HIGH THROUGHPUT COLOUR SCANNING UP TO 55 IPM IN SIMPLEX AND 20 IPM IN DUPLEX

REDUCED ENVIRONMENTAL IMPACT

d-Color

MF257



Intuitive 7" Operator Panel



With FS-539SD and PC-218

SIMPLE TO USE


The user interface is designed to be intuitive and simple to use, allowing the user to carry out their most frequently required activities with a simple touch; similar to using a smartphone. Depending on their specific needs, users can customise the function keys displayed on the initial screen, adding items that are more necessary and eliminating unnecessary ones. In addition, the d-Color MF257 has been designed with innovative widget technology so windows can be added to the control panel allowing applications and solutions to be accessed and monitored, making them incredibly simple to use. The screen style also can be modified to meet personal preferences, creating separate screens for more frequently used tasks.

EXCELLENT PERFORMANCE

The d-Color MF257 is furnished with an array of standard and optional functionalities, for simplifying and speeding up office procedures. These include high volume colour scanning, at up to 55 ipm, an electronic image skew correction function, and a choice of finishing options such as stapling, hole-punching and folding.

What's more, a print resolution of 1,800 (equivalent) x 600 dpi means that documents, printed from the Olivetti d-Color MF257, always look exceptional.

CONFIGURATION LAYOUT



- LK-102V3 (B4261)
- LK-105V4 (B3166)
- LK-106 (B4263)
- LK-116 (B3835)
- LK-107 (B4264)
- LK-108 (B4265)
- LK-110V2 (B3167)
- LK-117 (B3926)
- LK-111 (B4519)
- LK-114 (B3168)
- LK-115V2 (B3169)

LIST OF OPTIONS

- | | | |
|--|--|---|
| <p>DF-633* Automatic Reverse Document Feeder , capacity 130 sheets; as an alternative to OC-513</p> <p>OC-513* Original cover, as an alternative to DF-633</p> <p>PC-118* 1 500-sheet Universal Tray ; paper formats A5-A3; 60-256 g/m², as an alternative to PC-218; PC-418; DK-518x</p> <p>PC-218* 2 500-sheet Universal Trays ; paper formats A5-A3; 60-256 g/m²; as an alternative to PC-118; PC-418; DK-518x</p> <p>PC-418* High Capacity 2,500-sheet Tray , format A4; 60-256 g/m²; as an alternative to PC-118; PC-218; DK-518x</p> <p>DK-518x* Desk to use in alternative to trays PC-118; PC-218; PC-418</p> <p>NAT KIT* DVD containing User Manuals and Drivers</p> <p>BT-C1e Banner Feeder Tray;</p> <p>HT-509 Paper Tray Heater</p> <p>MK-734 HT-509 Power Supply Unit ;</p> <p>FS-533 Integrated Finisher, 500-sheet , stapling up to 50 sheets</p> <p>PK-519 Hole-puncher for FS-533 , 2/4 holes;</p> <p>FS-539 External Finisher, 3,200-sheet, stapling up to 50 sheets;</p> <p>FS-539SD External Finisher, 2,200-sheet, stapling up to 50 sheets, booklet up to 20 sheets;</p> <p>PK-524 Hole-puncher for FS-539 and FS-539SD , 2/4 holes;</p> <p>JS-506 Job Separator to install as an alternative to Finishers:</p> <p>MK-602 FS-533 Installation Kit</p> <p>MK-603 FS-533, FS-539, FS-539SD and JS-506 Installation Kit</p> <p>RU-514 FS-539 and FS-539SD Installation Unit</p> <p>WT-515 Working Table for for Authentication Card Reader</p> <p>KP-101 Keypad for use with touch Panel</p> <p>PEN Capacitive Pen for Touch Panel</p> | <p>CU-101 Air Filter</p> <p>MK-748 Air Filter Installation Kit</p> <p>MK-735 RFID Card Readers internal installation Unit</p> <p>EK-608 External Keypad Connection USB Kit;</p> <p>EK-609 External Keypad Connection USB and Bluetooth Kit</p> <p>AU-102 Biometric Authentication Device</p> <p>FK-513 Super G3 Fax Card;</p> <p>SP-501 Stamping Unit. Stamp applied to the original when sending a fax.</p> <p>UK-221 Wireless LAN and LAN access point;</p> <p>LK-102v3 PDF/A (1b) Conversion; Encrypted PDFs; Digital Signature</p> <p>LK-105v4 OCR for conversions in searchable PDF and PPTX formats</p> <p>LK-106 Barcode printing fonts</p> <p>LK-107 Unicode printing fonts</p> <p>LK-108 OCR A and B font support</p> <p>LK-110v2 Converter for formats included DOCX, XLSX and PDF/A</p> <p>LK-111 ThinPrint® Client</p> <p>LK-114 Pull printing/Follow-me Printing solution</p> <p>LK-115v2 Trusted Platform Module encrypted data protection</p> <p>LK-116 Bitdefender® Antivirus real-time data scanning</p> <p>LK-117 Fax over IP networks (T.38) , Fax Kit required</p> | <p>• <i>Option obligatory for printer functioning</i></p> |
|--|--|---|

TECHNICAL SPECIFICATIONS

GENERAL

Type: Console, Printer/Scanner/Copier
Technology: Laser
Toner Technology: Polymerised Toner
Panel Size / Resolution: 7" / 800 x 480
Type: Resistive
RAM Memory: 256 GB SSD (standard)
System Memory: 6,144 MB (standard/max)
Interfaces: Ethernet 10/100 / 1.000-Base-T; USB 2.0; IEEE802.11 b/g/n/ac (optional)
Network Protocols: TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour
Automatic Document Feeder (optional): Up to 130 originals; A5-A3; 35-128 g/m²; RADF
Paper capacity: (standard) 1,100 sheets
Formats: A6-A3; banner max. 1,200 x 297 mm
Paper weights: 60-256 g/m²
Paper Tray (standard): 1x 500-sheet; formats A5-A4; custom formats; 60-256 g/m²
1x 500; formats A5-A3; custom formats; 60-256 g/m²
Paper Tray, optional, PC-118: 1x 500-sheet; A5-A3; custom formats; 60-256 g/m²
Paper Tray, optional, PC-218: 2x 500-sheet; A5-A3; custom formats; 60-256 g/m²
Paper Tray, optional, PC-418: 1x 2500-sheet; A4; custom formats; 60-256 g/m²
Manual Bypass: 100 sheets; A6-A3; custom formats, Banner; 60-256 g/m²
Duplex: Automatic A5-A3; 60-256 g/m²
Finishing Options: Offset; Group; Sorting; Stapling; Stapling (offline); Hole-punching; Saddle folding, Letter; Booklet
Output Tray capacity (standard/max): up to 250 sheets/ up to 3,300 sheets
Stapling: max. 50 sheets or 48 sheets + 2 cover pages (up to 209 g / m²)
Letter folding: Max. 3 sheets
Booklet Folding: Max. 20 sheets or 19 sheets + 1 cover (up to 209 g / m²)
Print Volume (monthly): Recommended 10,000 pages; Max. 125,000 pages
Power Consumption: 220-240 V / 50/60 Hz; Less than 1,580 kW
Consumption max.: 954W
Consumption in Print mode: 520W
Consumption in Stand-by Energy Saving mode: 34W
Consumption in Sleep mode: 0,4W
TEC (Total Electricity Consumption): 0,32 kWh/week
System Dimensions: (W x D x H) 571 x 661 x 786 mm (without options)
System Weight: approx. 70 kg (without options)

PRINT FUNCTIONS

CPU: ARM Cortex A72 Quad Core 1.6 GHz
Print Resolution: 1,800 (equivalent) x 600 dpi;
Print Speed (mono/colour): A4 simplex/duplex: up to 25/25 ppm; A3 up to 12/12 ppm
Emulations: PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating Systems: Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Linux;
Print Fonts: 80 PCL Latin; 137 PostScript 3 Emulation Latin
Mobile Printing: AirPrint® (iOS); Mobile Print app (iOS/Android/Windows 10 Mobile)

COPY FUNCTIONS

Copy Speed A4 (mono / colour): up to 25/25 ppm
Copy Speed A4 Duplex (mono / colour): up to 25/25 ppm
First Copy-out Time (mono/colour): 6.8/8.4 sec.
Warm-up Time (mono/colour): approx. 20 sec. (warm-up time can vary depending on environmental conditions and type of use)
Copy Resolution: 600 x 600 dpi
Gradients: 256
Multiple copies: 1- 9,999
Originals format: max A3; custom formats
Zoom: 25-400% in steps of 0.1%; Auto-zoom

SCAN FUNCTIONS

Scan Speed (mono /colour): at 300 dpi, simplex up to 55/55 ipm; duplex up to 20/20 ipm
Scan Mode: Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Scan-to-URL; TWAIN Scan
File Formats: JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX; searchable PDF (optional); PDF / A 1a and 1b (optional); Searchable DOCX / PPTX / XLSX (optional)
Scan Destinations: 2,000 single + 100 groups; LDAP support

FAX FUNCTION (OPTIONAL FK-513)

Standard Fax: Super G3
Fax Transmission: Analogue; I-Fax; Colour i-Fax; IP-Fax
Fax Resolution: Up to 600 x 600 dpi
Fax Compression: MH; MR; MMR; JBIG
Fax Modem speed: Up to 33.6 Kbps
Fax Destinations: 2,000 single + 100 groups

USER BOX

Storable Documents: up to 3,000 documents or 10,000 pages
User Box types: Public; Private (access via password or authentication), group (access via authentication)
System Box types: Secure printing, encrypted PDF printing, fax reception, fax polling

SYSTEM FEATURES

Security Functions (standard): ISO 15408 HCD-PP Common Criteria (in evaluation); IP filtering and port blocking; SSL3; network communications TLS1.0/1.1/1.2; IPsec support; IEEE 802.1x support
User Authentication: Authentication log; Secure Printing; Kerberos;
SSD Memory Protection: Overwriting (8 standard types); Data Encryption (AES 256); Automatic memory Data Cancellation; Fax Confidential Reception; User Data Encryption;
Security Functions (optional): Antivirus with real-time scanning (Bitdefender®);
Copy Protection: Copy Protection (Copy Guard), Copying Password;
Accounting Functions (standard): up to 1,000 user accounts; Active Directory support (user name + password + e-mail + smb folder); User Profile definition;
Accounting Functions (optional): Biometric Authentication (Finger Vein Recognition);
Authentication via card: via RFID Card (ID Card Reader);
Authentication via Mobile Device: Android/iOS;

CONSUMABLES

Black Toner (B1394): Capacity up to 24,000 prints (A4, coverage 5%, continuous print mode).
Cyan Toner (B1397): Capacity up to 24,000 prints (A4, coverage 5%, continuous print mode).
Magenta Toner (B1396): Capacity up to 24,000 prints (A4, coverage 5%, continuous print mode).
Yellow Toner (B1395): Yield up to 24,000 prints (A4, coverage 5%, continuous print mode).
Black Drum (B1399): Yield up to 102,000 prints
Black Developer (B1398): Yield up to 600,000 prints
Cyan Image Unit (B1402): Yield up to 87,000 prints
Magenta Image Unit (B1401): Yield up to 87,000 prints
Yellow Image Unit (B1400): Yield up to 87,000 prints
Waste Toner Box (B1203): WX-105 capacity up to 28,000 prints
Staples (B0586): SK-602 3 sets of 5,000 staples each for FS-533/FS-539/FS539SD
Replacement Stamp for SP-501: (B5122)

N.B.: All specifications refer to A4 format paper weight 80 g/m².